Enter Document Control Number or Bar Code

United States Environmental Protection Agency Washington, DC 20460

ORIGINAL

Document Description

P-02-238-239 SAT RPT

Date Feb. 1102

EPA Form 7740-9 (rev. 10/92) Previous edition is obsolete

STRUCTUR	RE ACTIVITY TE	AM REPORT	ver. 04/98			
Case #:	P-02-0238	239	DCN:	,		
SAT Date:	1/25/02		SAT Chair:	V. Nabholz		
Submitter:		Sh	ell Chemical Com	npany		
Chemical Na	me:					
Pentadecar	ne, branched				RECI OP21 02 FEB 11	÷
CAS RN:	9 TWO IA.		Trade Name:			,
Structure	362520-89-6	S	Trade Name:	Hydroc	arbon blend stock	150B
Molecular Form	ula:		C ₁₅ H ₃₂			
Molecular Wt.	212	WT%<500:		WT%<1000:		
MP:		BP:	250) Eq. Wt:		
H2O Sol (g/L):	The second secon	3x10-6	V.P.		0.044	
Max. Prod. Volu	me (kg/yr):	523	9000 Physical State:			Liquid
	lling fluid (80%) and fuel d Case Numbers		ole Related	Case Numbers	Case Role	
Focus Date	: FÉB 7 2002	Results:	DROP - H	PV		

Page of 8

50020002332

STRUCTUR	RE ACTIVITY TEA	M REPORT	ver. 04/98		
Case #:	P-02-0239		DCN:		
SAT Date:	1/25/02		SAT Chair:	V. Nabholz	
Submitter:		Shell	Chemical Com	pany	
Chemical Na	me:		170000		- 1100° 100° MA AME A
Hexadecan	e, branched				
CAS RN:			Trade Name:		
CAS KN.	362520-79-4		irade Name:	Hydroc	arbon blend stock 150B
Molecular Form	ula:		C ₁₆ H ₃₄		
Molecular Wt.	226	WT%<500:		WT%<1000:	
MP:		BP:	257	Eq. Wt:	
H2O Sol (g/L):		1.2x10-6	V.P.		3x10-2
Max. Prod. Volu	me (kg/yr):	97000)00 Physical State:		Liquid
	lling fluid (80%) and fuel (2 I Case Numbers	0%). Case Role	e Related	Case Numbers	Case Role
Focus Date:	FEB 7 2002	Results: 7	POP-H	 PV	

CASE NUMBERS: P02-0238 (C15) and 0239 (C16)

NOTE: Branching is a mean of 1.6 methyls per alkyl



CONCLUSIONS/DISCUSSIONS

TYPE OF CONCERN: HEALTH ECOTOX

LEVEL: 1-2 1

KEYWORDS: LUNG, IRR-MM

SUMMARY OF ASSESSMENT:

FATE: MW212 and 226 liquid with mp = -9 °C (P) log Kow = 8.4 and 8.9 (ClogP), 7.6 and 8.0 (EPI)S = 0.003 to 0.004 mg/L and 0.001 mg/L at 20 °C (P) vp = 0.044 and 0.03 mm Hg or torr at 25 °C (P); $bp = 250 \text{ and } 260 ^{\circ}C (P);$ H = 22 (P);log Koc => 4.5 (P);log fish BCF \Rightarrow 2.5 (P); POTW removal = 99% via sorption and stripping time for complete ultimate aerobic biodegradation = weeks to months; sorption to soils and sediments = strong; volatilization from rivers = 1 hours and from lakes = 6 days; atmospheric oxidation half-life = 6.8 hours via OH radical PBT Potential: P2B1T1 *CEB FATE: migration to ground water = slow

HEALTH: Absorption is poor all routes based on analogs;

test data for the C16 analog, were: rat acute oral LD50 > 46.4 mL/kg; mild skin irritation in rabbits mild eye irritation in rabbits;

test data for the C20 analog, ..., were:
Ames test negative
mouse micronucleus ip was negative
rat 28-d oral-gavage NOAEL = 1 g/kg/d (highest dose tested)

concern for lung toxicity if inhaled and irritation to mucous membranes;

low to moderate concern for toxicity;
*CEB HEALTH: Exposures to humans: inhalation; XB: No testing
desired.

ECOTOX: Submitted test data were for an analog whose chemical identity was unknown;

Predicted (P) and measured (M) toxicity values in mg/L (ppm) are:

fish 96-h LC50 = * P
daphnid 48-h LC50 = * P
green algal 96-h EC50 = * P
fish chronic value = * P
daphnid ChV = * P
algal ChV = * P

Predictions are based on SARs for neutral organic chemicals; SAR chemical class = alkane-C15 and C16; MW212 and 226; log Kow = 8.4 and 8.9 (ClogP); pH7; effective concentrations based on 100% active ingredients and nominal concentrations; hardness <180.0 mg/L as CaCO3; and TOC <2.0 mg/L;

low concern for toxicity;

assessment factor = 10.0 concern concentration = *

*CEB ECOTOX: No releases to water; XB: No testing desired.

SAT Co-chairperson: Vince Nabholz, 564.8909

PMN:	ORT			C	BI? (Y/N):	
FIVIIN.	P-02-0	238	CAS RN	1:		362520-89-6
Chemical Name:				Δ	nalogs:	
Po		ntadecane, branched	2377	- P	roduction Volu	me: 5239000.00
Structure:						
Use:						
Component in drill Formula:	ing fluid (80%) C ₁₅ H ₃₂		Eq Wt:			
Component in drill Formula:			Eq Wt: 212.42Wt%<500:		Wt%<10	000
Component in drill Formula: Mol Weight:		2	212.42Wt%<500:	25	0 VP:	0.044
Component in drill Formula: Mol Weight:			212.42Wt%<500:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP:		2	212.42Wt%<500:	- 	0 VP: Liquid Log P:	0.044
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L):	C ₁₅ H ₃₂	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L)	C ₁₅ H ₃₂	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h	C ₁₅ H ₃₂ Est. Value	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h	C ₁₅ H ₃₂ Est. Value	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h Daphnid 48-h Algal 96-h Fish ChV Daphnid ChV	Est. Value ** **	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h Daphnid 48-h Algal 96-h Fish ChV	Est. Value	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h Daphnid 48-h Algal 96-h Fish ChV Daphnid ChV Algal ChV	Est. Value	2 3x10-6 Phys	212.42 Wt%<500: BP: ical State:	- 	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h Daphnid 48-h Algal 96-h Fish ChV Daphnid ChV Algal ChV	Est. Value	3x10-6 Phys Meas. Value	BP: Ical State: Comments	250	0 VP: Liquid Log P:	0.044 7.63 EPI
Component in drill Formula: Mol Weight: MP: H2O Sol (g/L): Endpoint (mg/L) Fish 96-h Daphnid 48-h Algal 96-h Fish ChV Daphnid ChV Algal ChV	Est. Value	3x10-6 Phys. Meas. Value SAR:	212.42 Wt%<500: BP: ical State:	250	0 VP: Liquid Log P:	0.044 7.63 EPI

CHEMICAL: Unknown 11:27:47 01/24/:2

CHEMICAL: Unknown MOL WT : 212.42

MOL FOR: C15H32

SMILES: CC(C)CCCC(C)CCCCCCCISOC-ID: AA-A-AAAA-A-AAAAAAA

FRAG-ID:

H-COUNT: 31_3_2221_3_222223

Class	Type		Comment	Value
ISOLATING C EXFRAGMENT B EXFRAGMENT B SCREEN N	CARBON BRANCH IYDROG BONDS IOTE	15 Aliphatic isolating carbon(s) 2 chain and 0 cluster branch(es) 32 Hydrogen(s) on isolating carbons 13 chain and 0 alicyclic (net) Very high value unrealistic in nature	 (Chain) 	7.264 -1.560 0.000
	•	Very high LogP unrealistic in nature	+	

NCSAB SAT REPO	ORT				CBI? (Y/N):	
PMN:	P-02-02	239		CAS RN:	· • • • • • • • • • • • • • • • • •		362520-79-4
Chemical Name:				3	Analo	gs:	
Hexa		adecane, branche	ed 238?		Produ	ction Volum	ne: _{9700000.00}
Structure:							
Use: Component in drilli Formula:	ing fluid (80%) a C ₁₆ H ₃₄		Eq \	Wt:			
Mol Weight:			226.45Wt%<500:			Wt%<10	00
MP:			ВР		257	VP:	3x10-2
H2O Sol (g/L):		1.2x10-6Phy	sical State:				8.0 EPI
Endpoint (mg/L)	Est. Value	Meas. Value	Comments	S		8.	9 CLOGP
Fish 96-h	*						
Daphnid 48-h	*						
Algal 96-h	*						
Fish ChV	*						
Daphnid ChV	*						
Algal ChV							
BCF					· · · · · · · · · · · · · · · · · · ·		
CHEMICAL CLAS	S:	SAR: @	ekone-	C16			
ECOTOX CONCE	RN H M	(L) CONCERN (CONCENTR	ATION 7	<i>-</i>		
DATE 1/25	702	ASSESSO	OR:				

SAT CHAIRPERSON/OTHER

Rebecca Jones Zeonard Keifer Vince Nabholz

DATE FEB

2002